

The purpose of this document is to assist manufacturers, supplier, and/or buyers in meeting the standards specified by QB/T 1195-2023. It is specifically designed to help meet the various quality requirements for the following:

1. Meeting Down and Feather Requirements for QB/T 1195-2023
2. Meeting Fabric and Textile Requirements for QB/T 1195-2023
3. Meeting Finished Product Appearance and Labeling Requirements for QB/T 1195-2023

## **Prefix: About QB/T 1195-2023:**

QB/T 1195-2023 is an amendment QB/T 1195-2023. This standard specifies the terms and definitions, requirements, test methods, inspection rules as well as the labelling, packing, transportation, and storage of down & feather sleeping bags. It is applicable to sleeping bags made with various textile fabrics that are filled with down and feathers, or sleeping bags containing down and feathers with other materials that are distributed in different layers or zones.

Classification: Products are classified into three categories based on testing results: Infant, Indoor, and Outdoor. These various requirements are outlined in the testing requirements below.

## **1. Meeting Down and Feather Requirements for QB/T 1195-2023:**

Down and Feather components are tested using the GB/T 10288-2016 methods and evaluated according to GB/T 17685-2016 requirements (see chart 1).

### **Additional Details:**

Content:

- Components must meet minimum requirements given by GB/T 17685-2016 (see chart 1).
- For products containing both down and feather and other materials, the mass percentage of down and feather should be at least 50% of the total filling weight and the down components must also meet minimum requirements given by GB/T 17685-2016 (see chart 1).

Goose or Duck Species:

- Goose down labeled as 80% or greater requires species testing **only** on down.
- Goose down labeled as less than 80% requires species testing for both down **and** feather.
- Unidentified down and feather are reclassified according to the known percentage ratio of duck and down. Goose products must contain a minimum of 85% Goose (see chart 1).

Fill Power:

- Fill Power is tested according to GB/T 10288-2016 steam method. Fill Power must meet minimum requirements given by GB/T 17685-2016 (see chart 1).

# Chinese Down and Feather Sleeping Bag Standard QB/T 1195-2023

data compiled and provided by IDFL Laboratory and Institute



**Chart 1: GB/T 17685-2016 Down and Feather Requirements**

Product Type	Claimed Down Cluster %	Down Cluster Tolerance %	Down Fiber + Feather Fiber % ≤	Damaged Feather % ≤	Landfowl % ≤	Large Feather % (Goose ≥ 8cm Duck ≥ 7cm) ≤	Quill Feather % ≤	Residue % ≤	Fill Power (cm) ≥	
									Duck	Goose
Feather	0	--	5.0	5.0	5.0	10.0	0.0	3.0	7.0	7.5
	5	-1.0	10.0	5.0	5.0	3.0		2.0	7.5	8.5
	10	-2.0	10.0	5.0	4.5	3.0		1.5	8.5	9.5
	20	-2.0	10.0	5.0	4.0	3.0		1.5	9.0	10.0
	30	-2.0	10.0	5.0	3.5	2.0		1.5	9.5	10.5
	40	-2.0	10.0	5.0	3.0	2.0		1.5	10.5	11.5
Down	50	-3.0	10.0	3.0	2.5	1.0		1.2	11.5	12.5
	60	-3.0	10.0	3.0	2.0	0.5		1.2	12.5	13.5
	70	-3.0	10.0	2.0	1.5	0.5		1.2	13.5	14.5
	75	-3.0	10.0	2.0	1.5	0.5		1.2	14.0	15.0
	80	-3.0	10.0	2.0	1.0	0.5		1.2	14.5	15.5
	85	-3.0	10.0	2.0	1.0	0.5		1.0	15.5	16.5
	90	-3.0	10.0	2.0	1.0	0.5		1.0	16.0	17.0
	95	-3.0	5.0	2.0	1.0	0.0		1.0	16.5	17.5

Cleanliness Requirements	
Oxygen (mg/100g)	≤ 5.6
Turbidity (mm)	≥ 500
Fat & Oil %	≤ 1.2
Odor	Qualified

Other Requirements	
NP+OP	<10mg/kg
NP+OP+NnPEO+OnPEO	<100mg/kg
pH	5.5~8.0

Net Filling Weight Requirements	
Net Filling Weight	≥ -5 %
Mass percentage of Down and Feathers	≥50%

Deviance compared to the claimed value

## Other material Requirements

Meet the requirement of GB 18383 and the related product standards.

For fiber content, it should meet the requirement of GB/T 29862.

## 2. Meeting Fabric and Textile Requirements for QB/T 1195-2023:

Fabrics are required to meet the minimum requirements given below (Chart 3).

### Chart 2: QB/T 1195-2023 Fabric Requirements

It should meet with the requirement of GB 18401 or GB 31701(only for infant and children's product).

Shell fabric, lining and interior lining fabric Requirements (For indoor sleeping bags)		
Test Item	Requirement	
Fiber content (%)	Meet with the requirement of GB/T 29862.	
Dimensional stability (%)	≤ ±5.0	
Downproofness	≤12 Particles	
Air Permeability (mm/s)	Shell	≥ 5
	Lining	≥ 5
	Interior lining	≥ 3
Formaldehyde (mg/kg)	≤ 300	
pH	4.0–9.0	
AZO Dyes	Not Detected (Not allowed to use, detected limited value ≤ 20mg/kg)	
Odor	None	

Classification Requirements are based on Colorfastness Results (below):		
Test Item	Category	Requirement
Colorfastness to Washing*	Color Change	≥3
	Color Staining	≥3
Colorfastness to Crocking	Dry	≥3 (for Dark color: 2-3 )
	Wet	≥3

Shell and lining fabric Requirements (For outdoor sleeping bags)	
Test Item	Requirement
Fiber content (%)	Meet with the requirement of GB/T 29862.
Dimensional stability (%)	≤ ±4.0
Downproofness	≤12 Particles
Air Permeability (mm/s) (Only for Lining Fabric)	≥ 2
Formaldehyde (mg/kg)	≤ 300
pH	4.0 – 9.0
AZO Dyes	Not Detected (Not allowed to use, detected limited value ≤ 20mg/kg)
Odor	None

# Chinese Down and Feather Sleeping Bag Standard QB/T 1195-2023

data compiled and provided by IDFL Laboratory and Institute



Colorfastness Requirements		
Test Item	Category	Requirement
Colorfastness to Crocking	Dry	≥3-4
	Wet	≥3-4
Colorfastness to perspiration	Color Change	≥3-4
	Color Staining	≥3-4
Colorfastness to Washing with soap*	Color Change	≥3-4
	Color Staining	≥3-4
Colorfastness to Water	Color Change	≥3-4
	Color Staining	≥3-4
Colorfastness to Light**	Color Change	≥3-4

Note: \*Only for such product which can be laundered.

\*\* Only for shell fabric.

Performance Requirements		
Test Item		Requirement
Surface water repellency/Rating	Before wash	≥4
Water Vapor Transmission g/(m <sup>2</sup> *24hrs)	Before wash	≥2 200

Strength Requirements	
Test Item	Requirement
Seam Strength	≥140N
Tear Strength	≥7N

### 3. Meeting Finished Product Appearance and Labeling Requirements for QB/T 1195-2023:

Finished Products are required to meet the minimum requirements given below (Chart 3).

#### Chart 3: QB/T 1195-2023 Product Requirements

Fabric and Textile Requirements	
Test Item	Requirement
Product Inspection	Product Accessories (zippers and buttons), Filling Distribution, Stitching Quality
Dimensional ratio of specification and dimensions (%)	+/- 2.5
Color Tone/Shade (grade)	≥ 4
Skewing (%)	≤ 3.0
Damage/Needle Holes	No Damage
Stains/Spots	Max. 1 Small Spot for one side
Blemish Streaks/Defect Lines	Max. 1 Small Spot for one side
Print/Artwork Defects	Slight color transferring, staining, bleeding, but Not Allowed to affect general Appearance
Accessories quality	Should be firm, smooth and beautiful and without spots and rusts; no accessed sharp point and sharp edge (new); the performance and texture of all sewing threads, cords/drawstrings, lining cloth, inserted lines, durable labels and hooks should be suitable to shell fabrics; zipper snaps well and functioning smoothly. Additionally, for infants sleeping bags, it should have no metal zippers. If present, then it should take measures to prevent the zipper from directly contacting skin. Buttons, zipper sliders and other accessories should be covered with cloth to avoid being sucked by infants.
Others	No other defects that obviously affect the appearance.

International Down and Feather Bureau

Internationales Daunen- und Federn-Bureau e.V.

Rheinstraße 27 · 6890 Lustenau · Austria  
T +43 664 968 60 30 · idfb@idfb.net · www.idfb.net

November 2023

Page 4

## LAW LABEL

Law Label is required to meet with GB 5296.4 & GB 18401 requirements. It should also meet with the requirement of GB 31701 for infants and children's products.

- List Product Type above fold on label on a prominent position and font size should not be smaller than (3.7±0.2)mm (No. 5).
- Product dimensions: Width (cm) x Length (cm)
- Washing type should be listed on the using construction.
- Fiber Content should comply with GB/T 29862.
- Filling type and the filling weight: For down and feather filling, the percentage of down cluster should be clearly indicated. The products with down cluster less than 5% shall be marked with "goose (duck) feather". For other filling materials that are filled in layers or sub-areas, the fiber content and the filling weight shall be clearly labeled.

Product Label should clearly indicate the following:

Product Type	
<b>Down Sleeping Bag</b>	Filled with the same specification of down as the only filling.
<b>Feather Sleeping Bag</b>	Filled with the same specification of Feather as the onlyfilling.
<b>Composite Sleeping Bag</b>	Filled with two or more different specifications of down and feather or down and feather with other materials filled by layers or panel by panel. And the percentage of down (in mass) in the total filling is ≥50%.
<b>Composite Feather Sleeping Bag</b>	Filled with two or more different specifications of down and feather or down and feather with other materials filled by layers or panel by panel. And the percentage of feather (in mass) in the total filling is ≥50%.

## Examples of Law Label Formats:

### Down Sleeping Bag

Fabric: 100% Chinlon  
Lining: 100% Cotton  
Filling: Duck Down (80% Down)  
Net Fill Weight: 150g

### Feather Sleeping Bag

Fabric: 100% Chinlon  
Lining: 100% Cotton  
Filling: Duck Feather (30% Down)  
Net Fill Weight: 150g

### Composite Down Sleeping Bag

Fabric: 100% Chinlon  
Lining: 100% Cotton  
Filling: Upper Layer: Duck Down (80% Down)  
Under Layer: Duck Feather (30% Down)  
Net Fill Weight: Upper Layer 140g  
Under Layer 60g

Fabric: 100% Chinlon  
Lining: 100% Cotton  
Filling: Yellow Part: Down (80% Down)  
White Part: 100% Lyocell  
Net Fill Weight: Duck Down 140g  
Lyocell 60g

### Mixed Feather Sleeping Bag

Fabric: 100% Chinlon  
Lining: 100% Cotton  
Filling: 70% Duck Feather (30% Down)  
30% Lyocell  
Net Fill Weight: Duck Down 140g  
Lyocell 60g

### Composite Feather Sleeping Bag

Fabric: 100% Chinlon  
Lining: 100% Cotton  
Filling: Upper Layer: Duck Down (80% Down)  
Under Layer: Duck Feather (30% Down)  
Net Fill Weight: Upper Layer 140g  
Under Layer 60g